



#### 1 EC TYPE-EXAMINATION CERTIFICATE

2 Component intended for use in Potentially Explosive Atmospheres Directive 94/9/EC

3 Certificate Number: Sira 01ATEX1073U Issue: 7

4 Component: VQ500 Series Gas Sensing Heads

5 Applicant: SGX Europe Sp. z o.o.

6 Address: Ligocka 103

40-568 Katowice

Poland

- 7 This component and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.
- Sira Certification Service, notified body number 0518 in accordance with Article 9 of Directive 94/9/EC of 23 March 1994, certifies that this component has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of a component intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential reports listed in Section 14.2.

9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule to this certificate, has been assured by compliance with the following documents:

EN 60079-0:2012 IEC 60079-1: 2014 Ed. 7

The above list of documents may detail standards that do not appear on the UKAS Scope of Accreditation, but have been added through Sira's flexible scope of accreditation, which is available on request.

- The sign 'U' is placed after the certificate number to indicate that the product assessed is a component and may be subject to further assessment when incorporated into equipment. Any special conditions for safe use are listed in the schedule to this certificate.
- This EC type-examination certificate relates only to the design and construction of the specified component. If applicable, further requirements of this Directive apply to the manufacture and supply of this component.
- 12 The marking of the component shall include the following:

 $\langle \varepsilon_{\rm x} \rangle$ 

II 2G Ex db IIC Gb Ta -40°C to +55°C  $\langle \epsilon_{\rm x} \rangle$ 

I M2 Ex db I Mb Ta -40°C to +55°C

Project Number 70050289

This certificate and its schedules may only be reproduced in its entirety and without change.

R A Craig

**Certification Support Officer** 

Sira Certification Service

Unit 6, Hawarden Industrial Park, Hawarden, CH5 3US, United Kingdom

Tel: +44 (0) 1244 670 900
Fax: +44 (0) 1244 539 301
Email: ukinfo@csagroup.org
Web: www.csagroupuk.org





#### **SCHEDULE**

#### EC TYPE-EXAMINATION CERTIFICATE

Sira 01ATEX1073U Issue 7

#### **DESCRIPTION OF COMPONENT** 13

The VQ500 Series Gas Sensing Heads are intended to detect flammable gases and contain two pellistors, one of which is for reference. The pellistors are potted, along with associated circuitry on a PCB, into a one-part stainless steel housing with electrical connections made via three pins, which pass through the potting compound. A stainless steel sinter is fused into the enclosure.

The sensing heads may be manufactured with or without a second PCB at the rear of the component.

The maximum input power, P<sub>i</sub>, is 2.5 W.

Variation 1 - This variation introduced the following changes:

To permit the ambient temperature range to be increased:

From:  $-20^{\circ}$ C to  $+40^{\circ}$ C To: -40°C to +55°C

ii. To permit the maximum input power, P<sub>i</sub>, to be increased from 1.0 W to 2.5 W.

#### Variation 2 - This variation introduced the following changes:

- Re-assess the equipment for compliance with the latest European Standards. Following appropriate re-assessment to demonstrate compliance with the requirements of the EN 60079 series of standards, the documents originally listed in section 9, EN 50014:1997 (amendments A1 to A2) and EN 50018:2000 were replaced by EN 60079-0:2006 and EN 60079-1:2007, the markings in section 12 were updated accordingly.
- ii. Minor drawing changes on product label.
- To permit alternative materials of manufacturer for the housing and sinter components as detailed on drawing FM532571D, inclusive of additional minor drawing changes.

#### Variation 3 - This variation introduced the following changes:

- The label, drawing number N24106R, was amended to include a new product identity for the end user and an optional bar code.
- Drawing numbers FM543263A & FM543379A were modified to define the exact measurement ii. points for the potting thickness.
- The Special Conditions for Safe Use, para 15.2 were amended. iii.

#### **Variation 4** - This variation introduced the following change:

The Applicant's name and address was changed from e2v Technologies (UK) Limited, 106 Waterhouse Lane, Chelmsford, Essex CM1 2QU, UK to SGX Sensortech (IS) Ltd 2 Hanbury Road, Widford Industrial Estate, Chelmsford, Essex CM1 3AE.

#### **Variation 5** - This variation introduced the following change:

Following appropriate re-assessment to demonstrate compliance with the requirements of the latest technical knowledge, EN 60079-0: 2006 and EN 60079-1:2007, were replaced by EN 60079-0:2012 and IEC 60079-1: 2014 Ed. 7.

This certificate and its schedules may only be reproduced in its entirety and without change. Sira Certification Service

Unit 6, Hawarden Industrial Park, Hawarden, CH5 3US, United Kingdom +44 (0) 1244 670 900

Fax: +44 (0) 1244 539 301 ukinfo@csagroup.org Email: Web: www.csagroupuk.org

Tel:





#### **SCHEDULE**

#### EC TYPE-EXAMINATION CERTIFICATE

Sira 01ATEX1073U Issue 7

Variation 6 - This variation introduced the following change:

 The Applicant's name and address was changed from SGX Sensortech (IS) Ltd 2 Hanbury Road, Widford Industrial Estate, Chelmsford, Essex CM1 3AE, UK to SGX Europe Sp. z o.o, Ligocka 103, 40-568 Katowice, Poland.

#### 14 DESCRIPTIVE DOCUMENTS

#### 14.1 Drawings

Refer to Certificate Annexe.

## 14.2 Associated Sira Reports and Certificate History

|       | <del>-</del>      |            |  |
|-------|-------------------|------------|--|
| Issue | Date              | Report No. | Comment  |
| 0     | 27 September 2001 | R51A7519A  | The release of the prime certificate.                                    |
| 1     | 21 August 2002    | R51A8315A  | The introduction of Variation 1.   |
| 2     | 02 December 2004  | R52V9860B  | Prime certificate re-issued to permit the incorporation                  |
|       |                   |            | of variation 1 dated 21 Aug 02, to change the name of                    |
|       |                   |            | the applicant, correct the description, list new drawings                |
|       |                   |            | and remove obsolete drawings.  |
| 3     | 18 June 2008      | R51A16683B | This Issue covers the following changes:                                 |
|       |                   |            | <ul> <li>All previously issued certification was rationalised</li> </ul> |
|       |                   |            | into a single certificate, Issue 3, Issues 0 to 2                        |
|       |                   |            | referenced above are only intended to reflect the                        |
|       |                   |            | history of the previous certification and have not                       |
|       |                   |            | been issued as documents in this format.                                 |
|       |                   |            | The introduction of Variation 2.   |
| 4     | 28 January 2011   | R24261A/00 | The introduction of Variation 3.   |
| 5     | 05 October 2012   | R29090A/00 | The introduction of Variation 4.   |
| 6     | 10 March 2015     | R70004681A | The introduction of Variation 5.   |
|       |                   | R70004681B |  |
| 7     | 12 February 2016  | R70050289A | The introduction of Variation 6.   |

#### 15 SPECIAL CONDITIONS FOR SAFE USE

- 15.1 The sensing Head shall be used in conjunction with apparatus providing an intrinsically safe supply having a maximum output power ( $P_o$ ) not greater than 2.5 W.
- 15.2 When this component is utilised in equipment that is intended to be used in group I applications, it shall be suitably protected to ensure that it will withstand an impact energy in excess of the 7 J low risk of impact value specified in EN 60079-0 clause 26.4.

#### 16 ESSENTIAL HEALTH AND SAFETY REQUIREMENTS OF ANNEX II (EHSRs)

The relevant EHSRs that are not addressed by the standards listed in this certificate have been identified and individually assessed in the reports listed in Section 14.2.

#### 17 CONDITIONS OF CERTIFICATION

- 17.1 The use of this certificate is subject to the Regulations Applicable to Holders of Sira Certificates.
- 17.2 Holders of EC type-examination certificates are required to comply with the production control requirements defined in Article 8 of directive 94/9/EC.

This certificate and its schedules may only be reproduced in its entirety and without change.

Sira Certification Service

Unit 6, Hawarden Industrial Park, Hawarden, CH5 3US, United Kingdom

+44 (0) 1244 670 900

Fax: +44 (0) 1244 539 301
Email: ukinfo@csagroup.org
Web: www.csagroupuk.org

Tel:

# **Certificate Annexe**

Certificate Number: Sira 01ATEX1073U

Component: VQ500 Series Gas Sensing Heads

Applicant: SGX Europe Sp. z o.o.

# CSA Group

#### Issue 0

| Drawing   | Sheet  | Rev. | Date      | Title  |
|-----------|--------|------|-----------|--|
| FM532571A | 1 of 1 | 5    | 07 Sep 01 | Sintered Disc Assembly   |
| FM532571B | 1 of 1 | 4    | 07 Sep 01 | Sintered Disc Assembly   |
| FM532571C | 1 of 1 | 3    | 07 Sep 01 | Sintered Disc Assembly   |
| FM532571D | 1 of 1 | 3    | 07 Sep 01 | Sintered Disc Assembly   |
| FM543262A | 1 of 1 | 4    | 07 Sep 01 | 400 & 500 Series Gas Sensors General Assembly Build Standard 'A' |
| FM543263A | 1 of 1 | 4    | 07 Sep 01 | 400 & 500 Series Gas Sensors General Assembly Build Standard "B" |
| FM543379A | 1 of 1 | 3    | 07 Sep 01 | 400 & 500 Series Gas Sensors General Assembly Build Standard "C" |
| FM544141A | 1 of 1 | 4    | 07 Sep 01 | 400 & 500 Series Gas Sensors General Assembly Build Standard "D" |
| H543679A  | 1 of 1 | Α    | 13 May 96 | Pin  |
| N24106R   | 1 of 1 | 3    | 22 Jun 01 | Label  |

#### Issue 1

| Drawing | Sheet  | Rev | Date      | Description |
|---------|--------|-----|-----------|-------------|
| N24106R | 1 of 1 | 4   | 18 Jul 02 | Label       |

#### Issue 2

| Drawing   | Sheet  | Rev | Date      | Description                       |
|-----------|--------|-----|-----------|-----------------------------------|
| FM532571D | 1 of 1 | 5   | 20 Mar 03 | Sintered disc assembly            |
| FM543263A | 1 of 1 | 6   | 14 Sep 04 | General assembly build standard B |
| FM543379A | 1 of 1 | 5   | 14 Sep 04 | General assembly build standard C |
| H532608B  | 1 of 1 | 3   | 14 Mar 03 | Pin                               |
| N24106R   | 1 of 1 | 7   | -         | Label                             |

#### Issue 3

| Drawing   | Sheet  | Rev | Date      | Description            |
|-----------|--------|-----|-----------|------------------------|
| FM532571D | 1 of 1 | 6   | 03 Dec 04 | Sintered Disc Assembly |
| N24106R   | 1 of 1 | 10  | 12 Jun 08 | Label                  |

### The following drawings were withdrawn at this issue:

| Drawing   | Sheet  | Rev | Date      | Description  |
|-----------|--------|-----|-----------|--|
| FM532571A | 1 of 1 | 5   | 07 Sep 01 | Sintered Disc Assembly   |
| FM532571B | 1 of 1 | 4   | 07 Sep 01 | Sintered Disc Assembly   |
| FM532571C | 1 of 1 | 3   | 07 Sep 01 | Sintered Disc Assembly   |
| FM543262A | 1 of 1 | 4   | 07 Sep 01 | 400 & 500 Series Gas Sensors General Assembly Build Standard 'A' |
| FM544141A | 1 of 1 | 4   | 07 Sep 01 | 400 & 500 Series Gas Sensors General Assembly Build Standard "D" |

## Issue 4

| Drawing   | Sheet  | Rev | Date (Sira stamp) | Description   |
|-----------|--------|-----|-------------------|---|
| N24106R   | 2 of 2 | 11  | 26 Jan 11         | Label   |
| FM543263A | 1 of 1 | 7   | 26 Jan 11         | VQ 500 Series Gas Sensors General Assembly Build Standard B |
| FM543379A | 1 of 1 | 6   | 26 Jan 11         | VQ 500 Series Gas Sensors General Assembly Build Standard C |

#### Issue 5

| Drawing    | Sheet  | Rev | Date (Sira stamp) | Description |
|------------|--------|-----|-------------------|-------------|
| LBL - 0004 | 1 to 2 | 1   | 05 Oct 12         | VQ500 Label |

This certificate and its schedules may only be reproduced in its entirety and without change.

Sira Certification Service

Unit 6, Hawarden Industrial Park, Hawarden, CH5 3US, United Kingdom

Page 1 of 2

Tel: +44 (0) 1244 670 900
Fax: +44 (0) 1244 539 301
Email: ukinfo@csagroup.org
Web: www.csagroupuk.org

# **Certificate Annexe**

**Certificate Number:** Sira 01ATEX1073U

Component: VQ500 Series Gas Sensing Heads

Applicant: SGX Europe Sp. z o.o.

#### Issue 6

| Drawing  | Sheets | Rev. | Date (Sira stamp) | Description                    |
|----------|--------|------|-------------------|--------------------------------|
| LBL-0004 | 1 to 2 | 2    | 25 Feb 15         | VQ500 Series Laser Marked Body |

#### Issue 7

| Drawing  | Sheets | Rev. | Date (Sira stamp) | Description                      |
|----------|--------|------|-------------------|----------------------------------|
| LBL-0004 | 1 to 2 | 3    | 03 Dec 15         | VQ500 ATEX & IEC Certified Label |

This certificate and its schedules may only be reproduced in its entirety and without change. Sira Certification Service

Unit 6, Hawarden Industrial Park, Hawarden, CH5 3US, United Kingdom

Page 2 of 2

+44 (0) 1244 670 900 Fax: +44 (0) 1244 539 301 Email: ukinfo@csagroup.org Web: www.csagroupuk.org

Tel: